

**INDOCHEM<sup>®</sup>**  
EMPOWERS THE POWER



Experience Top-Notch Driving with

# INDIA'S LEADING



Lubricants Brand!

# INDOCHEM LUBRICANTS

[www.indochemoils.com](http://www.indochemoils.com)

# INDOCHEM OILS QUALITY COMMITMENT

## Quality Manufacturing

- Indian Independent Manufacturer
- Technical expertise in oils, greases and speciality lubricants.
- Two dedicated manufacturing plants with an installed capacity of 20,000 metric tons per annum
- New plant with ultra-modern production facilities and fully automated production lines, with annual production capacity of 1,00,000 MT, to become operational in January 2025
- Certifications: ISO 9001-2015, ISO 140001-2015

# INDOCHEM OILS R&D

## Research & Development Lab

- In house R&d
- Customised Product Development
- Contract Research
- Ever evolving formulations
- All the tests conducted by the technicians are carried out in accordance with:
  - > BIS (Bureau of Indian Standards)
  - > ASTM (American Society For Testing And Materials)
  - > API (American petroleum Institute)
  - > JASO (Japanese Automotive Standards Organization)
  - > SAE (Society of Automotive Engineers)

## ABOUT US

### **BUSINESS : LUBRICANTS & GREASES**

- We Market our products in Brand "Indochem" - PAN India.
- Also Export to SAARC & Middle East countries.
- Also Export to SAARC & Middle East countries.
- Indochem is one of the preferred name for all the Large and Reputed Brands for Private labelling.
- Approved vendors Status among Indian National Oil companies
  - ✓ Bharat Petroleum Corp. Lt
  - ✓ Hindustan Petroleum Corporation Limited
  - ✓ Indian Oil Corporation Limited

### **PRODUCT PROFILE ACROSS ALL SEGMENTS**

- Automotive Lubricants (On & Off high way).
- Industrial e.g. Hydraulic oils, RP Oils, MW oils.
- Greases - Commodity greases to high performance including EP, water resistant, low Temp properties etc.
- Specialty products like Coolants / Brake fluids etc. Diesel exhaust fluid.

### **TECHNOLOGY PARTNERS**

- Base oils - HPCL, NAYNAS, BPCL, IOCL.
- Additives & specialty chemicals - Lubrizol, Chevron Oronite, Afton, BASF, Functional etc.

## OUR VISION

- Be the Dominant manufacturing Company with significant National & International presence, Integrated to lubricant and other petroleum Products.

## QUALITY POLICY

- Indochem Oil India Ltd is engaged in the manufacturing, packaging, and marketing of automotive, industrial, and specialty lubricating greases.
- The company is fully committed to achieving customer satisfaction, continual improvement, and compliance with legislative and regulatory requirements through the effective implementation of Quality and Environmental Management Systems.
- We shall achieve this by:
  - > Communicating customer requirements throughout the organization.
  - > Establishing and reviewing demanding quality & environmental objectives and targets.
  - > Communicating and explaining Quality & Environmental Policy to all employees.
  - > Prevention of pollution and minimization of waste.
  - > Reviewing Quality & Environmental Policy for continuing suitability and making it available to interested parties / public on demand.

## CREATIVITY & INNOVATION

### 01 CUSTOMER CENTRIC

We design products to satisfy customer needs without overdoing the things.  
We always learn from customer's feedback for continuous evolving of our products.

### 02 PRICE SENSITIVE

Our products are price sensitive as we value for each and every penny of our customer.

### 03 VALUE FOR MONEY

We sell technology to make Equipment life Better, Longer, Smoother & comfortable Operation and hence value for money.

## **WORD FROM CEO**

### **GREETINGS TO ALL ESTEEMED INTERNAL & EXTERNAL CUSTOMERS**

**I am proud to talk about our company “ INDOCHEM OIL INDIA LIMITED “ which began its journey in the year 1993, and have completed 31 years of a successful journey. Over the years the company have grown many folds in many respect, and the credit of our of success of long journey goes to our technology partners, service providers, our Dealers & Distributors, Our End User Inland & Foreign customers who have shown complete faith in our product line & technology, and our work force who have worked hard and have stood with us in all trying times and throughout this journey. We have believed in continuous up gradation in our product technology with the changing equipment designs in automotive and or industrial application requirements and adapting new processes to be able to service best product on most economical conditions. Our Ethical belief and work uprights been yet another strong reason for our continuous growth in terms of turn over and building confidence in our end user c customers in our product line. We want to be an admired company leveraging talent and technology, and be a preferred choice to the end users of our product line in the field of solid & liquid lubricants.**

**I & ON BEHALF OF OUR INDOCHEM TEAM WOULD LIKE TO THANK YOU ALL ONCE AGAIN TO HAVE GIVEN US THE PRIVILEGE OF BEING ALLIED WITH YOU AND WE SOLICIT YOUR CONTINUOUS PATRONAGE IN FUTURE AS WELL.**

**ROSHAN LAL  
CEO**

# Power Your Journey

Premium Oils for Bikes and Scooters



# ENDURA 4T HIGH END

EXPERIENCE THE POWER  
CHOOSE INDOCHEM ENDURA 4T TODAY!

Especially Design For 350cc Bikes



# TWO WHEELER OIL

**INDOCHEM ENDURA 4T GEN NXT API SN JASO MA 2  
(MULTI VISCOSITY GRADE) (SYNTHETIC TECHNOLOGY)**

Pack Size	900 mL	1 L	55 L	210 L	
-----------	--------	-----	------	-------	--

**INDOCHEM ENDURA 4T High end API SL (SAE 15W-50)  
(SYNTHETIC TECHNOLOGY)**

Pack Size	2.5 L	210 L		
-----------	-------	-------	--	--

**INDOCHEM ENDURA 4T SCOOTEC API SN JASO MB  
(SAE 10W-30) (SYNTHETIC TECHNOLOGY)**

Pack Size	800 mL	210 L		
-----------	--------	-------	--	--

**INDOCHEM ENDURA 4T ADVANCE API SL JASO MA 2  
(SAE 20W-40 / 10W-30)**

Pack Size	900 mL	1 L	55 L	210 L	
-----------	--------	-----	------	-------	--

**INDOCHEM ENDURA 4T API SJ JASO MA 2 (SAE 20W-40)**

Pack Size	900 mL	55 L	210 L		
-----------	--------	------	-------	--	--

**TAKES TOTAL CARE OF YOUR GEAR SHIFTS**

# THREE WHEELER OIL

INDOCHEM DYZEL Advance HDDEO API CH4/ Ci4/ SL 15W-40 (**SYNTHETIC TECHNOLOGY**)

Pack Size	1 L	3 L	
-----------	-----	-----	--

INDOCHEM DYZEL TURBO SHEILD API CF4 15W-40

Pack Size	1 L	1.5 L	3 L	
-----------	-----	-------	-----	--

INDOCHEM CNG SUPER API SF/CF 20W-50

Pack Size	1 L	
-----------	-----	--



**Engineered for Peak Performance in Every Three-Wheeler.**

# DRIVE SMOOTH, DRIVE STRONG INDOCHEM eUROTECH !



# PASSENGER CAR MOTOR OIL

**INDOCHEM eUROTECH SN/CF 5W/30**  
**(SYNTHETIC TECHNOLOGY)**

Pack Size	3 L	3.5 L	4.5 L	55 L	210 L
-----------	-----	-------	-------	------	-------

**INDOCHEM DYSEL PREMIUM GEN NXT API Ci4+ (15W-40)**  
**(SYNTHETIC TECHNOLOGY)**

Pack Size	7 L	210 L	
-----------	-----	-------	--

**INDOCHEM CNG SUPER API CF/SF 20W/50**

Pack Size	1 L	3 L	3.5 L	210 L
-----------	-----	-----	-------	-------



**Motor oils for petrol, diesel, and CNG – synthetic engine care.**

**Conquer the Toughest Roads with  
the Ultimate Engine Protection.**



**Heavy-Duty Engine Oil for  
Heavy-Duty Performance.**

# HEAVY DUTY ENGINE OIL

**INDOCHEM DYZEL Premium E7 API CI4 Plus 15W-40  
(SYNTHETIC TECHNOLOGY)**

Pack Size	1 L	11 L	15 L	50 L	210 L
-----------	-----	------	------	------	-------

**INDOCHEM DYZEL Advance HDDEO API CH4/CI4/SL 15W-40  
(SYNTHETIC TECHNOLOGY)**

Pack Size	1 L	3 L	5 L	6 L	7.5 L	10 L	15 L	50 L	210 L
-----------	-----	-----	-----	-----	-------	------	------	------	-------

**INDOCHEM DYZEL TURBO SHEILD API CF4 15W-40**

Pack Size	1 L	3 L	5 L	6 L	7.5 L	10 L	15 L	26 L	50 L	210 L
-----------	-----	-----	-----	-----	-------	------	------	------	------	-------

**INDOCHEM DYZEL Multigrade API CF/CD/SF 20W-40/  
15W-40**

Pack Size	1 L	5 L	6 L	10 L	20 L	50 L	210 L	
-----------	-----	-----	-----	------	------	------	-------	--

**INDOCHEM MG SUPER API CC/ SC 20W-40**

Pack Size	500 mL	1 L	5 L	7.5 L	10 L	50 L	210 L
-----------	--------	-----	-----	-------	------	------	-------

**Heavy-duty engine oil for peak performance and protection.**

# AGRI & TRACTOR OIL

## INDOCHEM DYZEL TRACTOR AGRI MAX API CH 4 SAE 15W40

Pack Size	7.5 L	8.5 L	10 L	50 L	210 L
-----------	-------	-------	------	------	-------

## INDOCHEM TRACTOR PLUS API CH 4 SAE 20W40

Pack Size	7.5 L	8.5 L	10 L	50 L	210 L
-----------	-------	-------	------	------	-------

## INDOCHEM PSO SAE - 40

Pack Size	3.5 L	
-----------	-------	--

## INDO TRACTOR SAMARAT (Universal Tractor Transmission Oil)

Pack Size	5 L	20 L	210 L	
-----------	-----	------	-------	--




**Advanced oils for tractors—power, protection, and performance.**

# PERFECT GEARS, SMOOTH RIDES!



# Power Your Truck with Premium Transmission Fluid!



Dexron III & Macron IV Technology  
Optimal Automatic Transmission Fluid

# GEAR & TRANSMISSION FLUIDS

## INDO PRIME 75W-90 GL-4 (SYNTHETIC TECHNOLOGY)

Pack Size	2.5 L
-----------	-------

## INDO GEAR PREMIUM 85W-140 GL-5

Pack Size	1 L	5 L	6 L	12 L	20 L	26 L	210 L
-----------	-----	-----	-----	------	------	------	-------

## INDO GEAR PRIME EP- 140 GL-4

Pack Size	1 L	5 L	20 L	210 L
-----------	-----	-----	------	-------

## INDO GEAR PRIME 90 GL-4

Pack Size	500 mL	1 L	5 L	20 L	26 L	210 L
-----------	--------	-----	-----	------	------	-------

## INDO GEAR PREMIUM 80-90 GL-5

Pack Size	1 L	5 L	7 L	20 L	26 L	210 L
-----------	-----	-----	-----	------	------	-------

## INDO TOX PREMIUM ATF DEXRON III MACRON IV

Pack Size	500 mL	1 L	5 L	15 L	20 L	210 L
-----------	--------	-----	-----	------	------	-------



**TAKES TOTAL CARE OF YOUR GEAR SHIFTS**

# HEAVY EQUIPMENT

## INDOCHEM ALPHA HLP 68, 46

Pack Size	20 L	26 L	210 L	
-----------	------	------	-------	--

## INDOCHEM ALPHA 68, 46, 32

Pack Size	5 L	20 L	26 L	210 L	
-----------	-----	------	------	-------	--

## INDOCHEM SAE 30

Pack Size	5 L	20 L	210 L	
-----------	-----	------	-------	--

## INDOCHEM 10 W

Pack Size	5 L	20 L	210 L	
-----------	-----	------	-------	--



**Heavy equipment oils—built for durability and performance.**

# Tackle the Toughest Roads with the Smoothest Moves.



Explore the Full Range of Indochem Greases

# Power Your Machines Transform Your Fields.

From tractors to combines, our advanced grease ensures optimal performance, reduces wear and tear, and maximizes the lifespan of your equipment.



# GREASES

## INDO POWER PERFORMANCE GREASE (125000 Km)

Pack Size	1 Kg	2 Kg	3 Kg	5 Kg	7 Kg	10 Kg	18 Kg	180 Kg
-----------	------	------	------	------	------	-------	-------	--------

## INDO POWER GEL GREASE (100000 Km)

Pack Size	200 gm	500gm	1 Kg	2 Kg	3 Kg	5 Kg	7 Kg	10 Kg	18 Kg	180 Kg
-----------	--------	-------	------	------	------	------	------	-------	-------	--------

## INDO RED GEL GREASE (60000 Km)

Pack Size	200 gm	500gm	1 Kg	2 Kg	3 Kg	5 Kg	7 Kg	10 Kg	18 Kg	180 Kg
-----------	--------	-------	------	------	------	------	------	-------	-------	--------

## INDO MPLL 30000 GREASE (40000 Km)

Pack Size	200 gm	500gm	1 Kg	2 Kg	3 Kg	5 Kg	7 Kg	10 Kg	18 Kg	180 Kg
-----------	--------	-------	------	------	------	------	------	-------	-------	--------

## INDO GP 3 GREASE

Pack Size	500gm	1 Kg	2 Kg	3 Kg	5 Kg	7 Kg	10 Kg	18 Kg	180 Kg
-----------	-------	------	------	------	------	------	-------	-------	--------

## INDO CALCIUM GREASE

Pack Size	500gm	1 Kg	2 Kg	5 Kg	10 Kg	18 Kg	180 Kg
-----------	-------	------	------	------	-------	-------	--------

## INDO CHASSIS GREASE

Pack Size	18 Kg	180 Kg
-----------	-------	--------

## INDO EP- 200000 GREASE

Pack Size	18 Kg	180 Kg
-----------	-------	--------

## INDO UNIVERSAL AGRI GEL GREASE

Pack Size			
-----------	--	--	--

High-performance greases for long-lasting protection and efficiency.

# INDUSTRIAL LUBRICANTS

## Industrial Gear Oils

Excellent extreme pressure properties, Multigrade gear oils facilitate easy gear shifting especially at low ambient temperatures

-> **INDO MESH 68/100/150/220/320/460**

## Rust Preventives

These are heavy duty gear oils meant for gears/ axles operating under various combinations of high-speed shock loads and low-speed.

-> **INDO RP- 901, RP- DW**

## Quenching Oils

Multipurpose transmission fluid, designed for use in automatic gear boxes, where GM Type A suffix A or DX I are quoted.

-> **INDO QUINCH 20/ INDO QUINCH 20-HS**

## Circulating & Hydraulic Oils

Premium synthetic Hydraulic brake fluid to withstand sever heat & moisture conditions. It has a very high reflux boiling point good fluidity & stability

-> **INDO ALPHA 32/46/68/100/150/220/320/460**

## Heat Treatment Oils

They operate under sever conditions leading to generate higher temperatures specially in city stop-and-go conditions requiring frequent braking.

-> **INDO THERM-500/ INDO THERM-600/INDO THERM SPECIAL**

## Turbine Oils

Transmission/differential/hydraulic fluid formulated from high quality base oil and a performance proven additive system.

-> **INDO TURBINE 32/46/68**

## Refrigeration Oils

Exceptional low temperature fluidity, Excellent resistance to oxidation and high thermal stability, Durability of friction characteristics and wear protection.

-> **INDO TURBINE 68**

## Rubber Process Oils

Designed using unique Dispersants detergents (UDD technology) to provide Advanced lubricant performance in modern, low emission diesel engines, including those with EGR.

-> **INDO-245/ INDO-541/ INDO-710**

## INDO CUTTING OILS

>> **INDO CUT-S (SOLUBLE CUTTING OIL) INDO BROACH (STRAIGHT CUTTING OIL) INDO HONE-7**

## INDO TEXTILE OILS

-> **INDO SPIN-5/12 (SPINDLE OIL) INDO SPIN-22 (SPINDLE OIL)  
INDO KOON (KOONING OIL)**

**Performance-driven industrial lubricants.**

# ISO CERTIFICATES

CERTIFICATE

CERTIFIKAT

CERTIFICATO

CERTIFICADO

CERTIFICATE



## CERTIFICATE OF REGISTRATION

*This is to certify that the  
Quality Management System of*

**INDOCHEM OIL INDIA LIMITED**  
PLOT NO. 673, 674 & 731, PACE CITY-II, SECTOR-37,  
GURUGRAM-122001, HARYANA, INDIA

*has been assessed and approved  
in accordance with the guidelines of*

### ISO 9001:2015

*for the following areas*

MANUFACTURING, PACKING AND MARKETING OF AUTOMOTIVE,  
INDUSTRIAL LUBRICANTS, RADIATOR COOLANTS AND UREA SOLUTIONS  
FOR BS-VI VEHICLES.

Certified Locations: PLOT NO. 673, 674 & 731, PACE CITY-II, SECTOR-37,  
GURUGRAM-122001, HARYANA, INDIA

Q-241216002  
Certificate No.



Director

Date of Certification: December 16, 2024  
1st Surveillance Audit Due: December 15, 2025  
2nd Surveillance Audit Due: December 15, 2026  
Recertification Due: December 15, 2027






**BMS CERTIFICATION PVT. LTD.**  
Accredited By Emirates International Accreditation Centre, Dubai UAE

Validity of the certificate is subject to successful completion of surveillance audit on or before of the due date  
(in case surveillance audit is not allowed to be conducted this certificate shall be suspended/withdrawn)  
Certificate Verification - Validity of this certificate can be verified at [www.bmscert.org/clients.aspx](http://www.bmscert.org/clients.aspx)  
E-mail : [info@bmscert.org](mailto:info@bmscert.org), Website: [www.bmscert.org](http://www.bmscert.org), Ph. : +91-9810504488, +91-8800648870  
317, Aggarwal Modern Bazar, C-33, Lawrence Road, Delhi-110035, India



CERTIFICATE

CERTIFIKAT

CERTIFICATO

CERTIFICADO

CERTIFICATE



## CERTIFICATE OF REGISTRATION

*This is to certify that the  
Environmental Management System of*

**INDOCHEM OIL INDIA LIMITED**  
PLOT NO. 673, 674 & 731, PACE CITY-II, SECTOR-37,  
GURUGRAM-122001, HARYANA, INDIA

*has been assessed and approved  
in accordance with the guidelines of*

### ISO 14001:2015

*for the following areas*

MANUFACTURING, PACKING AND MARKETING OF AUTOMOTIVE,  
INDUSTRIAL LUBRICANTS, RADIATOR COOLANTS AND UREA SOLUTIONS  
FOR BS-VI VEHICLES.

Certified Locations: PLOT NO. 673, 674 & 731, PACE CITY-II, SECTOR-37,  
GURUGRAM-122001, HARYANA, INDIA

E-241216001  
Certificate No.



Director

Date of Certification: December 16, 2024  
1st Surveillance Audit Due: December 15, 2025  
2nd Surveillance Audit Due: December 15, 2026  
Recertification Due: December 15, 2027






**BMS CERTIFICATION PVT. LTD.**  
Accredited By Emirates International Accreditation Centre, Dubai UAE

Validity of the certificate is subject to successful completion of surveillance audit on or before of the due date  
(in case surveillance audit is not allowed to be conducted this certificate shall be suspended/withdrawn)  
Certificate Verification - Validity of this certificate can be verified at [www.bmscert.org/clients.aspx](http://www.bmscert.org/clients.aspx)  
E-mail : [info@bmscert.org](mailto:info@bmscert.org), Website: [www.bmscert.org](http://www.bmscert.org), Ph. : +91-9810504488, +91-8800648870  
317, Aggarwal Modern Bazar, C-33, Lawrence Road, Delhi-110035, India



# TECHNOLOGY PARTNERS



TRUSTED BRAND SINCE 1993

# OUR VALUABLE CUSTOMERS



TRUSTED BRAND SINCE 1993



## CONTACT US

 UNIT I: PLOT NO. 673 & 674 PACE CITY - II, SECTOR - 37,  
GURGAON - 122001, HARYANA [INDIA]

 UNIT II: PLOT NO. 731 PACE CITY - II, SECTOR-37,  
GURGAON - 122001, HARYANA [INDIA]

 rohit@indochemoils.com (Director)

 ritesh@indochemoils.com (Director Marketing & Sales)

 +91-9811310370 +91-95010 43236  
+91-124 4085674 +91-124 4085673

 [www.indochemoils.com](http://www.indochemoils.com)

 indochemoilspvtltd

 indochemoilindialimited

**TRUSTED BRAND SINCE 1993**